AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application;

1. (Currently Amended) An optical filter disposed in front of a screen, characterized by comprising:

a substrate; and

- a circularly polarizing filter layer <u>formed on the substrate</u> for converting outside light applied thereto into circularly polarized light and limiting [[the]] <u>a</u> passage of circularly polarized light that is reflected by the screen and has its direction of polarization inverted.
- 2. (Original) The optical filter according to claim 1, characterized in that said optical filter is spaced a predetermined distance from said screen.
- 3. (Original) The optical filter according to claim 2, characterized in that said screen includes a plasma display panel.
- 4. (Currently Amended) The optical filter according to claim 1, characterized in that wherein said circularly polarizing filter layer includes a combination of a linear polarizer positioned on a front side thereof to which the outside light is applied, and a 1/4 phase difference plate

positioned on a rear side thereof.

7

- 5. (Currently Amended) The optical filter according to claim 1, characterized in that wherein said substrate is a glass substrate and said circularly polarizing filter layer is bonded to [[a]] said glass substrate by an adhesive layer.
- 6. (Currently Amended) The optical filter according to claim 1, characterized by further comprising an antireflection film disposed on a front side of said circularly polarizing filter layer to which the outside light is applied.
- 7. (Original) The optical filter according to claim 1, characterized in that said screen includes a self-emission screen.
- 8. (Currently Amended) An image display apparatus having an optical filter disposed in front of a screen, characterized in that comprising:

a substrate; and

said optical filter has a circularly polarizing filter layer formed on said substrate for converting outside light applied thereto into circularly polarized light and limiting [[the]] passage of circularly polarized light that is reflected by the screen.

- 9. (Original) The image display apparatus according to claim 8, characterized in that said optical filter is spaced a predetermined distance from said screen.
- 10. (Original) The image display apparatus according to claim 9, characterized in that said screen includes a plasma display panel.
- 11. (Currently Amended) The image display apparatus according to claim 8, characterized in that wherein said circularly polarizing filter layer includes a combination of a linear polarizer positioned on a front side thereof to which the outside light is applied, and a 1/4 phase difference plate positioned on a rear side thereof.
- 12. (Currently Amended) The image display apparatus according to claim 8, characterized in that wherein said substrate is a glass substrate and said circularly polarizing filter layer is bonded to [[a]] said glass substrate by an adhesive layer.
- 13. (Currently Amended) The image display apparatus according to claim 8, characterized in that said optical filter has further comprising an antireflection film disposed on a

7217/69508

front side of said optical filter to which the outside light is applied.

عد

¥

14. (Original) The image display apparatus according to claim 8, characterized in that said screen includes a self-emission screen.